


maars LIVING WALLS®

halo®

Nice to meet!





Features & benefits

- Unique design
- Endless configurations
- Outstanding acoustics
- Easy installation
- Interchangeable with all Maars Products
- Fully reusable
- Design freedom

HIGH-END DESIGN

MAXIMUM PERFORMANCES



halo¹[®]



Unique design

- Modern & advanced design with full integrated ceiling
- All modules fully exchangeable with Halo 2 and 4

Outstanding acoustics

- Class A according to ISO23351-1
- Most pleasant and silent working area



Endless configurations

- Free choice for glazed and solid module including white boards and doors
- Wide range of color and fabric options


Design freedom

- Colors
- Finishes like steel, perforated panels, white boards, fabrics



Spacious

- Largest interior space also because of minimal wall thickness
 - OS: 1200x1200 mm
 - IS: 1036x1036 mm
- HALO feels like a very spacious pod because of the minimal wall thickness
 - Volume: 3,27 m³
- Proven comfortable feeling also for longer periods



Easy installation

- Less than 2 hours with 2 persons
- Easy to relocate


Fully reusable

- Easy to demount and recycle
- Interchangeable with all Maars walls



Materials

- Solid panel
 - Steel / steel with textile
 - Powder coated Fabric on steel Acoustical perforated
- Glass panel
 - Bi-block
- Furniture
 - Integrated Desk – height adjustable
 - With seating
- Fabric
 - Available for inside panels only.
 - Different fabric finishes
 - Wide range of options
- Matching Maars portfolio



Ventilation

- Air is refreshed quickly and frequently
- Refresh rate up to 70CFM (cubic feet per minute)
- Centrifugal
- Motion sensor controlled



Door & wall options

- Left-hand or right-hand door possible for all options
- Choice of framed or frameless glass doors



1x Side Solid





3x Side Solid



2x Side Solid (parallel)



2x Side Solid (90°)



Options

Glazed doors

- Frameless Glass Door
 - 12 mm acoustic laminated tempered glass Rw 35 dB
- Slim framed glass door
 - Rw 37 dB

Lock options

- Bar-pull
- Lever
 - Optional Cylindrical lock

Ceiling

- Integrated LED beam lighting
 - Occupied sensor
- Perforated steel for extra sound absorption
- When entering, extra worklights emerge

Floor

- Carpet tiles
- Additional flooring with 20mm install tolerance
- (without floor) ADA Compliant



Coming soon

halo²[®]



halo⁴[®]



- HALO 2 and HALO 4 will be added to the portfolio soon. Features and benefits include:
- Acoustics according to ISO 23351-1:
 - Exclusive = with floor
 - Comfort = without floor
- Back wall solid or glass
- 2 sides solid
- Bi-block window frames
- Modular cassettes, configurable with Halo 1, Halo2 and Halo 4 pod
- Halo 2: With or without floor
- Halo 4: Without floor
- Customizable finishes

maars LIVING WALLS[®]